UNITED STATES DEPARTMENT OF COMMERCE Environmental Science Services Administration Weather Bureau Pacific Region Honolulu, Hawaii

A METEOROLOGICAL GLOSSARY

of

Terms Used by Forecasters in Hawaii

PROPERTY OF NOAA Library E/OC43 7600 Sand Point Way NE Seattle WA 98115-0070 UNITED STATES ERREPTMENT OF COMMERCE
And rommental Selence Services Addmistration
Matches surces Proille Region

"emclude, Panier

ALLEGA A LABORRO CORRECTO A

beams and the Portace to Lancet

TO VERTICAL TO SELECT STATE OF THE SELECT STATE OF THE SELECT STATE OF THE SELECT STATE OF THE SELECT SELECT STATE OF THE SELECT SELECT STATE OF THE SELECT SELECT

FOREWORD

Every day Weather Bureau forecasters talk with farmers, contractors, housewives, yachtsmen, and others, either face-to-face and by telephone, or indirectly, through newspapers, TV and radio. In spite of conscientious efforts to phrase forecasts in terms understandable to the layman, a communications gap persists.

It sometimes seems impossible to avoid using technical terms to explain the causes and effects of the weather. And even commonly used non-technical terms such as "fair" or "partly cloudy" have different meanings to different people. Such words, however, do have precise meanings which are universally understood by weathermen.

The Weather Bureau Forecast Center at Honolulu disseminates dozens of forecasts and weather bulletins each day. Some are intended for use by the general public; others are prepared to meet requirements of agriculture, aviation, marine, fishing and other specialized user groups.

Some of the terms included in this Glossary are not — or should not be — used in communication with the general public. These terms are included for the benefit of the specialized user groups who require more comprehensive background material on weather developments than is included in radio broadcasts to the public.

All inclusive meteorological glossaries fill hundreds of pages. This Glossary contains only the words and phrases frequently used by forecasters in communication with the people of Hawaii.

CHOWHAO?

Avery day Weather Bureau forecapters talk with farmers, contractors, howevery, rachtemen, and others, either face-to-face and by telephone, or indirectly, through neverpopers, TV and radiu. In spite of commutants to bureau forecasts in terms understandable to the layman, a communications can persists.

It simetimes seems impossible to avoid using technical terms to explain the days and effects of the weather. And even commonly used non-technical terms such as "fair" or "parmiy cloudy" have different meanings to different people. Such words, nowever, do nowe precise meanings which are universally underswood by weathernen.

The Westher Buresu Forecast Center at Monolulu disseminates dozens of forecasts and westher hullstyns each day. Some are invended for use by the general public; others are prepared to meet requirements of agriculture, sviation, marine, fishing and other specialized user groups.

Some of the terms included in this Closeary are not — or should not be — used in communication with the general public. These terms are included for the benefit of the specialised user groups whe require more compressingly background material on weather developments then is included in radio broadcasts to the public.

All implusive meteorological glossamics fill hundreds of pages. This Glossary contains only the words and phrases frequently used by forecasters in communication with the people of Newsia.

METEOROLOGICAL GLOSSARY

(Terms frequently used by forecasters in guidance material and on radio broadcasts)

- Advection The horizontal movement of air masses or weather conditions.
- <u>Air Mass</u> A large body of air having approximately the same temperature and moisture characteristics throughout its horizontal extent.
- Anticyclone A high pressure area; generally referred to as a "high".
- Anticyclonic circulation The clockwise movement of air around a high pressure center. (Counterclockwise in the Southern Hemisphere.)
- Atmosphere The air surrounding the earth.
- Atmospheric pressure The weight of the atmosphere, in force per unit area.
- Backing A counterclockwise change in wind direction: for instance, from southeast to east to northeast.
- Blocking The obstructing (usually by a large nearly stationary high) of the normal west to east migration of cyclones and anticyclones.
- <u>Building</u> Intensification of high pressure systems. (Applied to a ridge or high pressure center).
- Central pressure The atmospheric pressure at the center of a high or low: the highest pressure of a high; the lowest pressure of a low.
- <u>Circulation</u> In the broadest sense, an organized movement of air. (See Anticyclonic Circulation and Cyclonic Circulation).
- <u>Climate</u> The long-term manifestations of the weather, as opposed to day-to-day or season-to-season changes.
- Cloud classification Classification of clouds according to type (e.g., cumulus, altocumulus, cirrus, etc.) or altitude (e.g., high, middle, low). High clouds include the cirriform types; middle clouds, the altostratus and altocumulus; and low clouds, the cumulus, stratus and stratocumulus.
- <u>Cloud cover</u> That fraction of the sky covered by clouds. <u>Clear</u> refers to from 0 to .2 coverage; <u>partly cloudy</u> from .3 to .7; <u>cloudy</u> more than .7. Additionally, <u>overcast</u> means completely covered; <u>scattered</u> from 1 to .5; and broken, from .6 to .9.
- <u>Col</u> The point or region of relative lowest pressure between two highs or of highest pressure between two lows.

MANUSCRIPTOR OF THE PROPERTY O

(legge disense the local action of the production of the production of the contract of the con

- Advection The hortwestal movement of air queses or weather doubliness.
- Air Higs A large body of air having approximately the same semperature and modesque electricales throughout the hord south extent.
 - Affigir" a as of betrefet villetenes ; saus expected to as a "high".
 - Antievelopio elevalation The alcohelse movement of air around a high measure denter. (Countervaleschies in the Southern Hemiophere.)
 - Associates The sar surrounding the earth.
- Alexanderic presents The weight of the atmosphere, in force per unit area
 - Packing A commissionlesses shange in wind direction: for instance, from southeast.
 - Elecking The obstructing (negally by a large nearly stationary high) of the normal west to east mighthen of cyclones and antisyclones.
 - Setiming This was figured to high pressure systems. (Applied to a ridge or high pressure center).
 - Control presence The atmospheric pressure at the denter of a high or lowest pressure of a light the lowest pressure of a low.
 - Circulation In the broadest sease, an organized movement of air. (See Artifysianis Girawiation and Cyclonia Girawiation).
 - Cilmate The long-term agailfestations of the weather, as opposed to day-to-day or season-to-season changes.
 - Cloud obsertioning Classification of closes according to type (e.g., ourselve) altocommutus, cirrue, etc.) or altitude (e.g., nigh, middle, low). Here clouds include the circiform types; middle clouds, the altocommute and altocommutus; and low clouds, the cumulus, etcatus and stretocommutus.
 - Clead cover That fraction of the say covered by clouds. Clear refere to from 0 to 3 costseps; parts standy from 3 to 7; ploudy more than 7, Additionally coverest means compactely covered; markered from 1 to 3; and broken, from 6 to 9.
 - Col The posts on region of relative lowest pressure between two light on of itshest pressure serween two love.

- <u>Convection</u> Atmospheric motions that are predominantly vertical as distinguished from advection: generally caused by heating of air near surface.
- Convective activity Convection, especially as manifested by the development of cumulus clouds and resulting weather conditions ranging from showers to severe thunderstorms.
- <u>Cooperative observer</u> An unpaid observer who takes weather observations for the Weather Bureau.
- <u>Cut-off low</u> A low pressure system which has been displaced out of the basic westerly current and lies to the south of this current.
- <u>Cyclone</u> A low pressure area; generally referred to as a "low". Most cyclones are not accompanied by violent storms. Tornadoes, hurricanes, and typhoons are intense "lows" or cyclones.
- <u>Cyclonic circulation</u> The counterclockwise movement of air around a low pressure center. (Clockwise in the Southern Hemisphere).
- <u>Deepening</u> A decrease in the central pressure of a cyclone. Deepening is usually accompanied by an intensification of the cyclonic circulation, an increase in wind speeds, and worsening weather.
- Depression An area of low pressure.
- <u>Disturbance</u> Any migratory region of low pressure, but usually one relatively small in size and effect.
- Dry air Air with low relative humidity.
- <u>Easterlies</u> Any winds with components from the east, but usually applied to broad currents of persistent easterly winds. The tropical easterlies, sometimes referred to as the trades, dominate the area surrounding the Hawaiian Islands.
- Easterly wave A wave-like disturbance moving from east to west within the tropical easterlies and characterized by a trough of low pressure and slight wind shift. Weather east of the trough line is cloudier and more showery than to the west. Easterly waves occasionally intensify into tropical cyclones.
- Eye (of hurricane, storm) A roughly circular area of comparatively light winds and fair weather found at the center of a severe tropical storm.

 Eye diameters range from a few miles to more than forty miles.
- Extratropical cyclone A cyclonic storm that is not of tropical origin. The term usually refers to lows of middle and higher latitudes.

- <u>Fair</u> When used in weather forecasts this term implies the absence of precipitation; less than .4 sky cover of low clouds, and no other extreme conditions of cloudiness, visibility, or wind.
- <u>Filling</u> An increase in the central pressure of a cyclone. Filling is usually accompanied by a weakening of the cyclonic circulation, a decrease in wind speeds, and improving weather.
- Flow Refers to the broadscale movement of air or the circulation over a given area.
- <u>Freezing level</u> The lowest altitude in the atmosphere over a given location at which the air temperature is 0°C (32°F). In Hawaii the freezing level is usually between 10,000 and 15,000 feet above sea-level.
- <u>Front</u> The transition zone between air masses. A front almost invariably separates air masses of different temperature. Features which may indicate a front include a pressure trough; a change in wind direction; a moisture discontinuity; and certain characteristic cloud and precipitation forms.
- <u>Gradient</u> The rate of decrease of a meteorological element (e.g., temperature or pressure) as measured in the direction in which the decrease is greatest.
- Gust A sudden brief increase in the speed of the wind.
- <u>Height falls (rises)</u> Changes in the height of constant pressure surfaces: equivalent to falling or rising pressure at that height.
- High An area of relatively high atmospheric pressure surrounded by lower
 pressure. An anticyclone.
- <u>Hurricane</u> A severe tropical cyclone with maximum winds 73 mph (64 knots) or higher. A typhoon. (See Tropical Cyclone).
- Hurricane warning A warning of an impending hurricane.
- <u>Hurricane watch</u> An announcement that hurricane conditions pose a threat. to a specific area. Residents are advised to take preparedness measures, but otherwise to continue their normal activities.
- <u>Hurricane wave (surge)</u> A sudden rise, associated with a hurricane, in the level of the sea along shorelines.
- <u>Instability</u> A vertical distribution of temperature such that an air parcel given either an upward or downward impulse will move away with increasing speed from its original level. Instability generally results in increased vertical development of clouds which, in turn, causes increases in shower activity. (See Stability).

- Tair When used in weather forecasts this term implies the absence of erecipitation; Iwas than .A sky rover of low clouds, and no other extreme conditions of cloudiness, visibility, or wind.
- - Fig. durang to the broadgoele movement of air or the circulation ever a siver area.
- The daine level = The lowest altitude in the Simpsphere over a given location as widen the air temperature is 0°C (32°F). In Hawaii the Trending lave is waterly between 10,000 and it,000 fact above teasters.
- Front The transition sens between his masses: "A front almost invariably separates air masses of different bemnerature." Features which may indicate a front include a pressure trough, a change in wind direction; a mainture discontinuity; and certain characteristic diout and precipitation forms.
- Organiant The rate of decrease of a measorological element (e.g., temperature on pressure) as measured in the direction in which the decrease is greatest
 - Chaf A sudden brief increase in the appeal of the wind.

 - <u>light</u> An area of relatively high atmospheric pressure surrounded by lower precedure. An untityclone.
 - Hurricane A mavere tropical cyclone with maximum winds 75 mph (64 knobs).

 or higher. A typhoon. (See Tropical Cyclone).
 - Horri and verming A warming of an impending nurvicence,
 - Hurricons water An ampagasement that Marricans conditions poss a threat, no a specific area. Residents are adviced to take preparedness measures, but offerwise to continue their normal notivities.
 - Floring case wave (spage) A sudden rise, associated with a hurricano, in the level of the sea along shorelings.
 - implestifity A vertical distribution of temperature such that an air parcel
 given either an upward or downward impulse will nove sway with increasing
 speed from its original level. Instantill renerally results in increased
 vertical development of alouds which, in turn, caused increases in shown
 notivity. (See Stabulity)

- Intertropical convergence zone The boundary area between trade wind systems of the Northern and Southern Hemisphere; an elongated band of disturbed weather, usually broken rather than continuous. In the Pacific Ocean area it is generally found north of the equator in all seasons.
- <u>Inversion</u> A layer in the atmosphere in which temperature increases with altitude.
- Isobar On a weather map, a line connecting points of equal pressure.
- <u>Jet stream</u> A meandering and relatively narrow belt of strong winds (speeds 50 knots or more) embedded in the normal wind flow aloft; generally found at high altitudes.
- Kona storm A migratory low found at the surface and/or aloft, and accompanied by widespread heavy rain and southerly winds.
- Kona weather Warm humid weather associated with the absence of the trades, very light winds, and the stagnation of air over the Islands.
- Kona wind A wind from the south or southwest.
- <u>Land breeze</u> A coastal breeze blowing from land to sea. It usually occurs at night and alternates with a sea breeze which blows in the opposite direction during the day. (See also Sea Breeze).
- <u>Lapse rate</u> The rate of change of air temperature with altitude. Normally about 2°C per thousand feet in Hawaii.
- <u>Low</u> An area of relatively low atmospheric pressure surrounded by higher pressure. A cyclone or depression.
- Low aloft (upper level low, etc.) A cyclonic circulation in the upper atmosphere and not associated with a low near sea level.
- Pacific high The semi-permanent subtropical high, centered normally at 30° 40°N and 140 150°W.
- <u>Pilot balloon (PIBAL)</u> A small balloon which indicates wind speed and direction aloft by its drift as observed from the ground.
- Polar front The frontal zone between air masses of polar and those of tropical origin.
- Prevailing wind The wind direction most frequently observed.
- Probability forecast A forecast of the probability (usually in percent)
 that a given weather event (usually precipitation) will occur, as distinguished
 from a categorical forecast.

Intertrophed corresponds sage - The compact area because trade with systems of the Morehern and Southern Heatephere; an elegated and of disturbed seather, asually broken rether than continuous. In the Failly Joean area in it is presently forme area of the esqueter in all seasons.

Intersion - & Lever in the addresser in which temperature increases with

isober - On a weather man, a line correcting prints of squal pressure.

Jet stream - A matriering and relatively narrow bolt of strong winds (speeds
50 knote or acre) embedded in the normal wind flow eleft; generally found
in high alattaces.

More storm - A minimison low found at the surface Shelor stort, and

enterty with to commands eit it is between continues the trust of the

Year winds - A wind liven was south or combines:

<u>land brooms</u> - A cossist browne blowing from lard to sea. It usually occurs at might and alternates with a sea broses which blows in the opposite direction during the day. (See also Sea Brease).

Allement returns the rate of change of all temperature with siticule. Normally about 2'C per thousand foot is invain.

Low - An area of relatively low standards presents surfounded by higher turessure. A cyclohe or depleasing.

Towal remains a control of the second of the

First of the term of the some perminder Subtropical bigs, there are naturally at 302 - 402 and 140 - 1307W.

direction aloft by its drift an observed from the ground.

lo sand bne tulog lo sessem ils mesaret ent lafferi edi - inogli risioli

Reverting biles - And wind direction seem frequently observed.

Probability Topacest - A forecast of the unobability (unually in percent)

that a given weather event (usually precupitation) will occur, as distinguished
from a categorical forecast.

- Radiosonde (RAOB) A device carried aloft by a balloon and which measures and automatically transmits to a ground recorder the temperature, pressure, and humidity of the air through which it ascends.
- Rain intensity classification Rain, either steady or showery, is classified by its <u>rate</u> of fall. <u>Light</u>, trace to .10 inch per hour; <u>moderate</u>, .11 to .30 inch per hour; and <u>heavy</u>, over .30 inch per hour.
- Rawinsonde (RAWIN) A radiosonde, tracked by radar, to provide wind speed and direction, as well as temperature, pressure, and humidity aloft.
- Ridge An elongated area of relatively high pressure.
- Retrograde The movement of an atmospheric wave or pressure system in a direction opposite to that of the basic flow in which it is embedded.
- Saturated air Air that includes the maximum amount of water vapor that can exist at a given temperature and pressure. The relative humidity of saturated air is 100%.
- <u>Sea breeze</u> A coastal breeze blowing from sea to land. It usually occurs during the day and alternates with a land breeze, which blows in the opposite direction at night.
- Shear line A narrow zone across which there is an abrupt change in the speed and/or direction of the wind.
- <u>Shower</u> Precipitation from a convective cloud. Showers are characterized by the suddenness with which they start and stop and by rapid changes in intensity.
- Small-craft warning A warning, intended chiefly for small boat operators, of impending winds up to 32 mph (28 knots).
- Sounding (upper air) An observation of temperature, humidity, pressure, wind, etc., made through a vertical column of the atmosphere.
- Sprinkle A popular term for a very light rain shower.
- Squall 1. A strong wind characterized by sudden onset, short duration (usually several minutes) and a rather sudden decrease.

 2. A severe local storm considered as a whole; that is, wind,

cloud mass and (if any) precipitation, thunder and lightning.

Stability - A vertical distribution of temperature such that an air parcel given either an upward or downward impulse will tend to return to its original level. Stability generally resists the vertical development of clouds.

_

- <u>Subsidence</u> A descending or "settling" motion of air, usually over a wide area. Subsiding air is generally stable.
- <u>Surface pressure</u> The pressure exerted by the atmosphere at a given location on the earth's surface. (See Atmospheric Pressure).
- Surge (in trades) A sudden increase in the strength of the trade winds.
- Synoptic Refers to the overall condition of the atmosphere at a given time.
- <u>Trace</u> An insignificantly small, or unmeasurable, quantity of rainfall; less than .005 inches.
- Trades (trade winds) The prevailing winds in Hawaii are east-northeasterly trades. The trade system, which covers most of the tropics, begins as north northeast winds at about latitude 30° in January and latitude 35° in July, gradually turning to northeast and east northeast as they approach the equator. The trades are the most persistent wind system on earth.
- <u>Trade-wind cumulus</u> The characteristic cloud of the trade winds during undisturbed weather conditions.
- Trade-wind inversion A temperature inversion usually present during trade-wind conditions. Air below the inversion is relatively moist and cool, and air above the inversion relatively warm and dry. Average height of the inversion over Hawaii is about 6,000 to 7,000 feet above sea-level.
- Trade-wind showers Showers from cumulus clouds within the trade wind flow.
- Tropical cyclones The general term for a cyclone, or low, that originates over the tropical oceans. By international agreement tropical cyclones are classified according to their intensity as follows: tropical depression, winds less than 34 knots (39 mph); tropical storm, winds of 34 through 63 knots (39 through 73 mph); hurricane or typhoon, winds 64 knots (74 mph) and higher.
- <u>Tropopause</u> The boundary between the troposphere and the stratosphere, usually characterized by an abrupt decrease in lapse rate.
- <u>Troposphere</u> The portion of the atmosphere between the earth's surface and the tropopause, and in which virtually all weather occurs.
- Trough An elongated area of low pressure.
- Typhoon A hurricane occurring west of the International Date Line (180° longitude). (See Hurricane).
- <u>Upper-air disturbance</u> A disturbance of the flow pattern in the upper air; a low or trough which is more strongly developed aloft than near the ground.

Substitute of a descending or "contiling" hotton it sing usually over a wide

Europe procedure - The pressure energed by the atmosphere at a given location on the carcula surface. (Sum himospheric Pressure).

Surre (in traces) - A sudden increase in the strength of the trade winds,

Ermostia - Refers to the owerell condition of the atmosthere at a given time:

Trace - An inergrifusently small, or unserpurable, quantity of reinfall, loss tion. (00) inches.

Trades (trade stages) - The preventing winds in hemail are exel-north-exelectly trades. The trade system, which devous most self the troubles, begins as north - northeast winds, as about initsude 30° in January and labitude 55° in January mediately turning to northeast and built - northeast as they approach the entant rands are the most perseatent wind system on earth.

"Prade-wind ourse on The character with coloud of the Grade victs during undisturbed worther conditions.

Trans-wind fuvered on - A temperature inversion usually present during tradewind conditions. Mir below six inversion in relatively more and cool, and air shows the inversion relatively wind and dry. Eversus indight of the inversion over Maxed is about 6,000 to 7,000 feet above res-lovel.

woll being where site minister absolute columns more exempted a more annual state with these

Frontiel overthe tropical oceans. It international agreement tropical cyclones are over the tropical oceans. It international agreement tropical cyclones are classified evecting to their intensity as follower tropical dejawarion, while it is through to import (37 through 73 mph); hundress or crahoon, winds to income (74 mph) and nigner.

Tropopulae - The boundary cetween the troposphere and the stratesphere, usually characterists by an aby decrease in lapse rule.

Troppeniere - The portion of the atmosphere between the earth's surface add the proposure, and in which virtually all weather occurs.

eruseone well to sees betsgrofe at - dayout

Tuniong - A huntingness of the knownational Date Line (1805 Longloude), (See Hurricane).

Opper-els distributence - A distributence of the flow published in the opper first a low or trough which is note strongly developed aloft than make the ground.

Veering - A clockwise change in wind direction: for instance, from southwest to west to northwest.

<u>Waterspout</u> - A tornado occurring over water; rarely, a lesser whirlwind over water comparable in intensity to a dust devil over land.

Wind classification (trades) -

• .	Gentle ·	8 to 12 mph (7 to 10 knots)		
	Moderate	13 to 18 mph (11 to 16 knots)		
	Fresh	19 to 24 mph (17 to 21 knots)		
	Strong	25 to 31 mph (22 to 27 knots)		
	Near Gale	32 to 38 mph (28 to 33 knots)		
Wind warnings -				
	Gale	39 to 54 mph (34 to 47 knots)		
ž	Whole Gale	55 to 73 mph (48 to 63 knots)		
	Hurricane	74 mph (64 knots) and higher		

Veering - A closhwise change in wind direction: for instance, from southwest to west to northwest.

Witgrepout - A termade countring over weter; marely, a lesser whirlwind over water comparable in intensity to a dust devil over land.

Wind classification (brades)

	als) new Well	